L Number	Hits	Search Text	DB	Time stamp
1	10316	(709/203,217,218,219,220).CCLS.	USPAT;	2004/09/17 13:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
2	4363	((709/203,217,218,219,220).CCLS.) and	IBM_TDB   USPAT;	2004/09/17 13:42
	4303	(HTML, XML, CHTML, WML, WAP)	US-PGPUB;	2004/05/17 15:42
		(,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	1429	(((709/203,217,218,219,220).CCLS.) and	USPAT;	2004/09/17 13:45
		(HTML, XML, cHTML, WML, WAP)) and (translate transform compile transcode)	US-PGPUB; EPO; JPO;	
		(translate transform compile transcode)	DERWENT;	
			IBM TDB	
6	1302	((((709/203,217,218,219,220).CCLS.) and	USPĀT;	2004/09/17 13:46
		(HTML, XML, cHTML, WML, WAP)) and	US-PGPUB;	
		(translate transform compile transcode))	EPO; JPO;	
		and (auto automa\$9 dynamic\$8)	DERWENT; IBM TDB	
7	2	((((ident\$5 reaquest get find (broswer	USPAT;	2004/09/17 13:48
'		near type) ((User near Agent)User-Agent)))	US-PGPUB;	
	-	near3 ((type model version (build near	EPO; JPO;	
		number) language brand ((Content near	DERWENT;	
		type) Content-Type) terminal))) and	IBM_TDB	
		(((contnet text) near (trans1\$5 transfo\$7 cod\$4 transco\$5)) near2 (((webpage (web		
	1	adj page) HTML WML HDTML HDML cHTML XML))		
		(HTML XML WML HDML HDTML HTL Java		
		cHTML)))) and		
		((((((709/203,217,218,219,220).CCLS.) and		
		(HTML, XML, cHTML, WML, WAP)) and		
		(translate transform compile transcode)) and (auto automa\$9 dynamic\$8))		
8	42		USPAT;	2004/09/17 13:56
*		US-6772200-\$ or US-6247048-\$ or	US-PGPUB;	
		US-6668354-\$ or US-6589291-\$ or	DERWENT	
		US-6055522-\$ or US-6029182-\$ or		
İ		US-6023714-\$ or US-5911145-\$ or US-5895477-\$ or US-5890175-\$ or		
		US-5878421-\$ or US-5860073-\$ or		
	1	US-5845299-\$ or US-6715129-\$ or		
		US-6701376-\$ or US-6233545-\$ or		
		US-6073112-\$ or US-6430624-\$ or		
	[	US-6788768-\$ or US-6768788-\$ or US-6741980-\$ or US-6694316-\$ or	,	
1	Ī	US-6519617-\$ or US-6477549-\$).did. or	1	
		(US-5930474-\$ or US-6792466-\$ or		
1		US-6789126-\$ or US-6789077-\$ or	1	
1		US-6397219-\$ or US-6202072-\$ or		}
1		US-5796952-\$).did. or (US-20020010746-\$ or US-20040073708-\$ or US-20030229529-\$ or		
		US-20040073706-\$ OF US-20030229329-\$ OF US-20020049788-\$ or	!	
		US-20040098668-\$).did. or (US-6336124-\$ or		
1		US-6430624-\$ or GB-2329309-\$).did.		
-	24	'	USPAT;	2004/09/17 09:07
		US-6606663-\$ or US-6647260-\$ or   US-6684257-\$ or US-5727159-\$ or	US-PGPUB; EPO; JPO;	
		US-5684257-\$ or US-5727159-\$ or US-5809415-\$ or US-6076166-\$ or	DERWENT;	
		US-5001729-\$).did. or (US-20020068554-\$ or	IBM TDB	
-		US-20020160790-\$ or US-20010037490-\$ or	_	
		US-20020015480-\$).did. or		
		(US-20020015480-\$ or US-5727159-\$ or		
	<u> </u>	US-6076166-\$ or US-20010037490-\$).did.	L	

-	37	(US-6647260-\$ or US-6606663-\$ or	USPAT;	2004/09/14 10:51
		US-6597903-\$ or US-6473609-\$ or   US-5809415-\$ or US-6167441-\$ or	US-PGPUB; EPO; JPO;	
		US-6128655-\$ or US-5918013-\$ or	DERWENT;	
		US-5911776-\$ or US-5848415-\$ or	IBM TDB	
		US-5864870-\$ or US-5727159-\$ or	100,_100	
		US-5794039-\$ or US-5442749-\$ or	-	
		US-5001729-\$).did. or (US-20020160790-\$ or		
		US-20020068554-\$ or US-2002015480-\$ or		
		US-20010037490-\$).did. or (WO-200038382-\$		
		or US-5911776-\$ or US-5848415-\$).did.		
	20	((US-6597903-\$ or US-6473609-\$ or	USPAT;	2004/09/14 10:52
	20	US-6606663-\$ or US-6647260-\$ or	US-PGPUB;	2004/03/14 10.32
	ŀ	US-6684257-\$ or US-5727159-\$ or	EPO; JPO;	
		US-5809415-\$ or US-6076166-\$ or	DERWENT;	
		US-5001729-\$).did. or (US-20020068554-\$ or	IBM TDB	
		US-20020160790-\$ or US-20010037490-\$ or	1011_100	
		US-20020015480-\$).did. or		
		(US-20020015480-\$ or US-5727159-\$ or		
		US-6076166-\$ or US-20010037490-\$).did.)		
		and ((US-6647260-\$ or US-6606663-\$ or		
		US-6597903-\$ or US-6473609-\$ or		
		US-5809415-\$ or US-6167441-\$ or		
		US-6128655-\$ or US-5918013-\$ or		
		US-5911776-\$ or US-5848415-\$ or	!	
		US-5864870-\$ or US-5727159-\$ or		
		US-5794039-\$ or US-5442749-\$ or		
		US-5001729-\$).did. or (US-20020160790-\$ or		
		US-20020068554-\$ or US-20020015480-\$ or		
		US-20010037490-\$).did. or (WO-200038382-\$		
		or US-5911776-\$ or US-5848415-\$).did.)		
l <u>-</u>	41	((US-6597903-\$ or US-6473609-\$ or	USPAT;	2004/09/14 10:52
	1	US-6606663-\$ or US-6647260-\$ or	US-PGPUB;	2001, 03, 11 10.02
		US-6684257-\$ or US-5727159-\$ or	EPO; JPO;	
	1	US-5809415-\$ or US-6076166-\$ or	DERWENT;	l
		US-5001729-\$).did. or (US-20020068554-\$ or	IBM TDB	
		US-20020160790-\$ or US-20010037490-\$ or	1311_132	
		US-20020015480-\$).did. or		
		(US-20020015480-\$ or US-5727159-\$ or		
		US-6076166-\$ or US-20010037490-\$).did.)		
		((US-6647260-\$ or US-6606663-\$ or		
	÷ .	US-6597903-\$ or US-6473609-\$ or		
•		US-5809415-\$ or US-6167441-\$ or		
		US-6128655-\$ or US-5918013-\$ or		
		US-5911776-\$ or US-5848415-\$ or		
		US-5864870-\$ or US-5727159-\$ or		
		US-5794039-\$ or US-5442749-\$ or		
		US-5001729-\$).did. or (US-20020160790-\$ or		
		US-20020068554-\$ or US-20020015480-\$ or		
		US-20010037490-\$).did. or (WO-200038382-\$		
		or US-5911776-\$ or US-5848415-\$).did.)		
-	2722726	"28" and (@ad<20000331 @rlad<20000331)	USPAT;	2004/09/15 13:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	28	((709/217).CCLS.) and transcode	USPĀT;	2004/09/14 10:57
[			US-PGPUB;	
			EPO; JPO;	
1	1		DERWENT;	
	1		IBM_TDB	
-	318	((709/217).CCLS.) and transc\$7	USPĀT;	2004/09/14 15:09
			US-PGPUB;	
}			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2731	(709/217).CCLS.	USPĀT;	2004/09/14 10:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

(@ad<20000331 @rlad<20000331)					
- 20 (((709/217).CCLS.) and transcode) and ((2000/031) (2004/09/15 08:34	-	204	(((709/217).CCLS.) and transc\$7) and	· ·	2004/09/14 10:57
- 20 ((7709/217).CCLS.) and transcode) and (8ad<20000331 @flad<20000331)			(@ad<20000331 @rlad<20000331)		
20					
-   20				-	
US-PGPUB; EPG, JPG, BERNENT; ISM TOB USPAT; US-PGPUB; EPG, JPG, BERNENT; ISM TOB USPAT; US-PGPUB; EPG, JPG, DERWENT; US-PGPUB; US	_	20	(//709/217) CCIS ) and transcode) and		2004/09/15 09:34
EPO; JPO; DERWENT; IBM TOB USPAT; US-RCPUB; EPO; JPO; DERWENT; US-RCPUB; US-RCPUB	-	20		•	2004/09/13 06:34
DERMENT; IDM TOB USFAT; USFA			(ead\20000331 eliad\20000331)	-	
1					
- 2 "20010049733" and basic USPĀT; US-PGUB; EPO; JPO; DERWENT; IBM TOB USPĀT; US-PGUB; EPO; JPO; JPO; DERWENT; IBM TOB USPĀT; US-PGUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
-   1   "20010049733" and basic   EPG, JPG; DERWENT; IEM TDB   SPAT; US-PGPUB; EPG, JPG; DERWENT; IEM TDB   USPAT; USPAT	-	2	"20010049733"		2004/09/14 14:32
- 1 "20010049733" and basic   DERWENT; IBM TDB USPAT; US-PGPUB; EFO; JPO; DERWENT, IBM TDB USPAT; US-PGPUB; EFO; JPO; DERWENT, IBM TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EFO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EFO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EFO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; JP				US-PGPUB;	
1				EPO; JPO;	
- 1 "20010049733" and basic USPAT; USPAT; USPENDIN; IBM TDB USPAT; USPERUBNT; USPERUBNT; IBM TDB USPAT; USPERUBNT; IBM TDB USPAT; USPERUBNT; USPERUBNT; IBM TDB USPAT; USPERUBNT; USPERUBNT; IBM TDB USPAT; USPERUBNT; IBM TDB USPAT; USPERUBNT; USPERUBNT; IBM TDB USPAT; USPERUBNT; IBM TDB USPAT; USPERUBNT; IBM TDB USPAT; USPAT; USPERUBNT; IBM TDB USPAT; USPAT; USPERUBNT; USPAT; USPERUBNT; USPAT; USPERUBNT; USPAT; USPAT; USPAT; USPAT;					
US-PCPUB; EEC; JPO; DERWENT; IBM TDB USPĀT; US-PCPUB; EEC; JPO; DERWENT; US-PCPUB; EEC; JPO; DERWE					
Table	-	1	"20010049733" and basic	· ·	2004/09/14 14:51
1				· ·	
1			1		
-					
- 728 (natural adj language) and transc\$7   US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JP	_	1	"20010049733" and (basic with html)		2004/09/14 14:51
- 728 (natural adj language) and transc\$7  - 1792 style near sheet  - 1792 style near sheet  - 1457 (text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format))) - 798 ((text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format))) and (@ad<20000331) erlad<20000331) erlad<20000331) erlad<20000331) - 248 ((text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format))) and (@ad<20000331) erlad<20000331) erlad<20000331) erlad<20000331) erlad<20000331) erlad<20000331) erlad<20000331) erlad<20000331) erlad<20000331) erlad<2000331) erlad<20000331) erlad<20000			20010013733 and (babic with nemity	· · · · · · · · · · · · · · · · · · ·	2001,03,11 21.01
Table					
- 728 (natural adj language) and transc\$7					
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; discrip\$5 format))					
Peo; JPo; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPo; DERWENT; I	-	728	(natural adj language) and transc\$7	· ·	2004/09/14 15:13
DERWENT;   IBM TDB   USPĀT;   2004/09/14 15:09   USPĀT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM TDB   USPĀT;   USPĀT;   US-PGPUB;   EPO; JPO;   USPĀT;   USPĀT;   US-PGPUB;   EPO; JPO;   USPĀT;   USPĀT;   US-PGPUB;   EPO; JPO;   USPĀT;   US-PGPUB;   USPĀT;   USPĀT;   USPĀT;   USPĀT;   USPĀT;   USPĀT;   US					
Time Time   Time Time   Time					
1792   style near sheet					
1457		1700	stule man chect		2004/09/14 15:09
-   1457   (text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format)))   (text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format)))   and (@ad<20000331   EPO; JPO; DERWENT; IBM TDB (USPAT; USP-GEUB; EPO; JPO; DERWENT; USP-GEUB; EPO; JPO; DERWENT; IBM TDB (USPAT; USP-GEUB; EPO; JPO; DERWENT; IBM TD	-	1/92	style hear sheet		2004/09/14 13:09
-   1457   (text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format)))					
1457					
((style adj sheet) (page near2 (layout discrip\$5 format)))  - 798 ((text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format))) and (@ad<20000331 EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; USPĀT; US-PGPUB		•		· ·	
((style adj sheet) (page near2 (layout discrip\$5 format)))	_	1457	(text words (natural adj language)) with		2004/09/14 15:15
discrip\$5 format)))				US-PGPUB;	
T98					
Type					
((style adj sheet) (page near2 (layout discrip\$5 format))) and (@ad<20000331)  - 248 (((text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format))) and (@ad<20000331)  - ((text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format))) and (@ad<20000331)  - ((transcop\$5 format))) and (HTML XML CHTML HDTML HDML WML)  - ((transcop\$5 translate ((WYSIWYG (what adj you adj get)) near5 (CHTML XML HDML WML)) (language near2 conversion)) ) with (((style adj sheet) layout (page near2 format))) and ((transcop\$5 translate ((WYSIWYG (what adj you adj get)) near5 (CHTML XML HDML WML)) (language near2 format)) (((transcop\$5 translate ((WYSIWYG (what adj you adj get)) near5 (CHTML XML HDML WML)) (language near2 conversion)) ) with (((style adj sheet) layout (page near2 format))) and (@ad<20000331) ((ident\$5 reaquest get find (broswer near type) (User near Agent)User-Agent))) with (((type model version (build near number)) DERWENT; language brand ((Content near type)) DERWENT;					0004/00/14 15 15
discrip\$5 format))) and (@ad<20000331   EPO; JPO; DERWENT; IBM TDB   USPAT; US-PGVUB; EPO; JPO; DERWENT; IBM TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB   USPAT; USPAGPUB; EPO; JPO; DERWENT; IBM TDB   USPAGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	-	798			2004/09/14 15:15
Crlad<20000331)					
- 248 (((text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format))) and (@ad<20000331 EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; US-PGP					
- 248 (((text words (natural adj language)) with ((style adj sheet) (page near2 (layout discrip\$5 format)))) and (@ad<20000331 @Flad<20000331) and (HTML XML cHTML HDTML DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J			e11ad\20000331)	t ·	
((style adj sheet) (page near2 (layout discrip\$5 format))) and (@ad<20000331	_	248	(((text words (natural adi language)) with		2004/09/14 15:19
discrip\$5 format))) and (@ad<20000331   EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; Sheet) layout (page near2 format))) and (@ad<20000331 @rlad<20000331)   211266   (ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) with ((fype model version (build near number) language brand ((Content near type) DERWENT;   100000000000000000000000000000000000					
HDML WML)  (generator creator (on near the near fly))  (generator creator (was adj you adj		1	discrip\$5 format)))) and (@ad<20000331		
- 906103 (generator creator (on near the near fly))  - 284 ((transco\$5 translate ((WYSIWYG (what adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML)) (language near2 conversion)) ) with (((style adj you adj see adj is adj what adj you adj you adj see adj is adj what adj you adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML)) (language near2 conversion))) with (((transco\$5 translate ((WYSIWYG (what adj you adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML)) (language near2 conversion))) with (((style adj sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  - 211266 ((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) with ((sppc model version (build near number) language brand ((Content near type)) DERWENT;		1	1		
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  ((transco\$5 translate ((WYSIWYG (what adj you adj you adj see adj is adj what adj you adj (see)) near5 (cHTML XML HDML WML)) (language near2 conversion)) with (((style adj sheet) layout (page near2 format)))  (((transco\$5 translate ((WYSIWYG (what adj you adj you adj see adj is adj what adj you adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML)) (language near2 conversion)) with (((style adj sheet) layout (page near2 format))) and (@ad<20000331 @rlad<20000331)  211266  211266  ((ident\$5 reaquest get find (broswer near type) ((User near Agent) User-Agent))) with (User-Agent)) with (User-Agent)) with (User-Agent)) with (User-Agent)) berwent; language brand ((Content near type) DERWENT;			l Y	_	0004/00/15 00 55
- 284 ((transco\$5 translate ((WYSIWYG (what adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language near2 conversion)) ) with (((style adj sheet) layout (page near2 format)))  - 140 (((transco\$5 translate ((WYSIWYG (what adj you adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language near2 conversion)) with (((style adj get)) near5 (cHTML XML HDML WML))(language near2 conversion)) with (((style adj sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  - 211266 ((ident\$5 reaquest get find (broswer near type) ((User near Agent))Ser-Agent))) with ((type model version (build near number) language brand ((Content near type))	-	906103	(generator creator (on near the near fly))		2004/09/15 08:39
- 284 ((transco\$5 translate ((WYSIWYG (what adj you adj see adj is adj what adj you adj get)) near5 (CHTML XML HDML WML))(language near2 conversion)) with (((style adj sheet) layout (page near2 format)))  - 140 ((transco\$5 translate ((WYSIWYG (what adj you adj sheet)) layout (page near2 format)))  you adj see adj is adj what adj you adj you adj get)) near5 (CHTML XML HDML WML))(language near2 conversion)) with (((style adj sheet)) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  - 211266 ((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) with (US-PGPUB; EPO; JPO; language brand ((Content near type)) DERWENT;		1			
- 284 ((transco\$5 translate ((WYSIWYG (what adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language near2 conversion)) with (((style adj sheet) layout (page near2 format)))  - 140 (((transco\$5 translate ((WYSIWYG (what adj you adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language get)) near5 (cHTML XML HDML WML))(language near2 conversion)) with (((style adj sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  - 211266 ((ident\$5 reaquest get find (broswer near type)) ((User near Agent)User-Agent))) with (Us-PGPUB; ((type model version (build near number) language brand ((Content near type)) DERWENT;					
- 284 ((transco\$5 translate ((WYSIWYG (what adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language near2 conversion)) with (((style adj sheet) layout (page near2 format)))  - 140 (((transco\$5 translate ((WYSIWYG (what adj you adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language get)) near5 (cHTML XML HDML WML))(language near2 conversion)) with (((style adj sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  - 211266 ((ident\$5 reaquest get find (broswer near type)) ((User near Agent)User-Agent))) with ((style adj sheet)) with ((style adj sheet)) with ((style adj sheet))) with ((style adj sheet)) ((ident\$5 reaquest get find (broswer near type)) (User near Agent)User-Agent))) with (Us-pGPUB; EPO; JPO; language brand ((Content near type))) DERWENT;					
you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language near2 conversion)) ) with (((style adj sheet) layout (page near2 format)))  (((transco\$5 translate ((WYSIWYG (what adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language near2 conversion)) ) with (((style adj near2 conversion))) with (((style adj sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331) ((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) with ((type model version (build near number) language brand ((Content near type)  US-PGPUB; EPO; JPO; DERWENT;  USPAT;	_	284	((transco\$5 translate ((WYSIWYG (what adi	_	2004/09/15 08:40
get)) near5 (cHTML XML HDML WML))(language near2 conversion)) with (((style adj sheet) layout (page near2 format)))  140 (((transco\$5 translate ((WYSIWYG (what adj you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language near2 conversion)) with (((style adj sheet) layout (page near2 format))) and (@ad<20000331 @rlad<20000331)  ((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) with (US-PGPUB; EPO; JPO; language brand ((Content near type) DERWENT; EPO; JPO; DERWENT;			1 ' '		
near2 conversion))) with (((style adj sheet) layout (page near2 format)))  (((transco\$5 translate ((WYSIWYG (what adj USPAT; you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language near2 conversion))) with (((style adj sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  ((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) with (US-PGPUB; EPO; JPO; language brand ((Content near type) DERWENT; DERWENT;		1		•	
sheet) layout (page near2 format)))  (((transco\$5 translate ((WYSIWYG (what adj USPAT; you adj see adj is adj what adj you adj get)) near5 (CHTML XML HDML WML))(language near2 conversion))) with (((style adj sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  ((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) with (US-PGPUB; EPO; JPO; language brand ((Content near type) DERWENT;			near2 conversion)) ) with (((style adj		
you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language near2 conversion))) with (((style adj sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  211266 ((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) with ((type model version (build near number) language brand ((Content near type)  US-PGPUB; EPO; JPO; DERWENT;				_	
get)) near5 (cHTML XML HDML WML))(language near2 conversion))) with (((style adj sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  211266 ((ident\$5 reaquest get find (broswer near type)) ((User near Agent)User-Agent))) with (US-PGPUB; language brand ((Content near type)) DERWENT;	-	140			2004/09/15 08:40
near2 conversion))) with (((style adj sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  211266 ((ident\$5 reaquest get find (broswer near type)) ((User near Agent)User-Agent))) with (Us-PGPUB; language brand ((Content near type)) DERWENT;					
sheet) layout (page near2 format)))) and (@ad<20000331 @rlad<20000331)  211266 ((ident\$5 reaquest get find (broswer near type)) ((User near Agent)User-Agent))) with (US-PGPUB; ((type model version (build near number) language brand ((Content near type)) DERWENT;					
(@ad<20000331 @rlad<20000331)  211266 ((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) with (US-PGPUB; ((type model version (build near number) language brand ((Content near type) DERWENT;					
- 211266 ((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) with ((type model version (build near number) language brand ((Content near type)   DERWENT;   2004/09/15 09:48   US-PGPUB;   EPO; JPO;   DERWENT;				TBM_TDB	
type) ((User near Agent)User-Agent))) with US-PGPUB; ((type model version (build near number) EPO; JPO; language brand ((Content near type) DERWENT;	-	211266		USPAT:	2004/09/15 09:48
((type model version (build near number) EPO; JPO; language brand ((Content near type) DERWENT;					
language brand ((Content near type) DERWENT;					
			language brand ((Content near type)	DERWENT;	
Content-Type()()			Content-Type)))	IBM_TDB	

-	134883	((ident\$5 reaquest get find (broswer near	USPAT;	2004/09/15 09:48
		type) ((User near Agent)User-Agent)))	US-PGPUB;	
		near5 ((type model version (build near	EPO; JPO;	
		number) language brand ((Content near	DERWENT;	
		type) Content-Type)))	IBM_TDB	
-	49	(((==================================	USPAT;	2004/09/15 09:48
		type) ((User near Agent)User-Agent))) with	US-PGPUB;	
		((type model version (build near number)	EPO; JPO;	
i		language brand ((Content near type) Content-Type)))) and ((((transco\$5	DERWENT; IBM TDB	
		translate ((WYSIWYG (what adj you adj see	100-100	
}		adj is adj what adj you adj get)) near5		
		(cHTML XML HDML WML))(language near2		
		conversion))) with (((style adj sheet)		
		layout (page near2 format)))) and		
		(@ad<20000331 @rlad<20000331))		
-	2392311	(ident\$5 request get find (broswer near	USPAT;	2004/09/15 09:03
		type) ((User near Agent)User-Agent))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	35	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/09/15 09:48
		type) ((User near Agent)User-Agent)))	US-PGPUB;	
		near5 ((type model version (build near	EPO; JPO;	
		<pre>number) language brand ((Content near type) Content-Type)))) and (((transco\$5</pre>	DERWENT; IBM TDB	:
		translate ((WYSIWYG (what adj you adj see	100-100	
		adj is adj what adj you adj get)) near5		
		(cHTML XML HDML WML))(language near2		
		conversion))) with (((style adj sheet)		
		layout (page near2 format)))) and		
		(@ad<20000331 @rlad<20000331))	Ì	
-	238503	((ident\$5 request get find (broswer near	USPAT;	2004/09/15 09:49
		type) ((User near Agent)User-Agent))) with	US-PGPUB;	
		((type model version (build near number)	EPO; JPO;	
		language brand ((Content near type)	DERWENT;	
	150505	Content-Type)))	IBM_TDB	2004/09/15 09:50
-	152525		USPAT; US-PGPUB;	2004/09/13 09:30
		type) ((User near Agent)User-Agent))) near5 ((type model version (build near	EPO; JPO;	
		number) language brand ((Content near	DERWENT;	
1		type) Content-Type)))	IBM TDB	
_	51	(((ident\$5 request get find (broswer near	USPAT;	2004/09/15 09:50
	0.2	type) ((User near Agent)User-Agent))) with	US-PGPUB;	
		((type model version (build near number)	EPO; JPO;	
		language brand ((Content near type)	DERWENT;	
		Content-Type)))) and ((((transco\$5	IBM_TDB	
		translate ((WYSIWYG (what adj you adj see		
		adj is adj what adj you adj get)) near5		
		(cHTML XML HDML WML))(language near2		
		conversion)) with (((style adj sheet)		
		layout (page near2 format)))) and		
_	38	(@ad<20000331 @rlad<20000331)) (((ident\$5 request get find (broswer near	USPAT;	2004/09/15 10:17
-	] 38	type) ((User near Agent)User-Agent)))	US-PGPUB;	2004/03/13 10.1/
		near5 ((type model version (build near	EPO; JPO;	
		number) language brand ((Content near	DERWENT;	
		type) Content-Type)))) and ((((transco\$5	IBM TDB	
		translate ((WYSIWYG (what adj you adj see	_	
		adj is adj what adj you adj get)) near5		
		(cHTML XML HDML WML))(language near2		
		conversion))) with (((style adj sheet)		
		layout (page near2 format)))) and	]	
[		(@ad<20000331 @rlad<20000331))	L	L

-	20	(US-5918013-\$ or US-6772200-\$ or	USPAT;	2004/09/15 13:02
		US-6247048-\$ or US-6055522-\$ or	US-PGPUB	
		US-6023714-\$ or US-6029182-\$ or US-5911145-\$ or US-5895477-\$ or		
1		US-5890175-\$ or US-5878421-\$ or		
		US-5860073-\$ or US-5845299-\$ or		
		US-6073112-\$ or US-6233545-\$ or		
		US-6701376-\$).did. or (US-20040073708-\$ or		
		US-20030229529-\$ or US-20020120859-\$ or		
		US-20020010746-\$ or US-20020049788-\$).did.		
-	35	"6023714"	USPAT;	2004/09/15 13:15
	35	/controt tout) noon /twonsits twonsfac7	US-PGPUB	2004/09/15 13:17
_	33	(contnet text) near (transl\$5 transfo\$7 cod\$4 transco\$5) near (HTML chtml xml	USPAT; US-PGPUB	2004/09/15 13:17
		hdtml htl)	OS IGIOD	
_	4481	(contnet text) near (trans1\$5 transfo\$7	USPAT;	2004/09/15 13:17
		cod\$4 transco\$5)	US-PGPUB	
-	45215	HTML XML WML HDML HDTML HTL Java cHTML	USPAT;	2004/09/15 13:17
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB	
-	36	((contnet text) near (transl\$5 transfo\$7	USPAT;	2004/09/15 13:17
		cod\$4 transco\$5)) near (HTML XML WML HDML HDTML HTL Java cHTML)	US-PGPUB	
_	190829	((style adj sheet) layout (page near2	USPAT;	2004/09/15 14:20
	230023	format))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	((natural adj language) and transc\$7) and	USPAT;	2004/09/15 13:18
		(style near sheet)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	63270	(webpage (web adj page) HTML WML HDTML	USPAT;	2004/09/15 14:17
		HDML cHTML XML)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/45 15 15
-	139627		USPĀT;	2004/09/15 13:19
		you adj see adj is adj what adj you adj get)) near5 (cHTML XML HDML WML))(language	US-PGPUB; EPO; JPO;	
		near2 conversion))	DERWENT;	
		,	IBM TDB	
-	2187563	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/09/15 13:19
		type) ((User near Agent)User-Agent))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	5404539	(type model version (build near number)	IBM_TDB USPAT;	2004/09/15 13:22
	5754559	language brand ((Content near type)	US-PGPUB;	
		Content-Type))	EPO; JPO;	
		<del></del>	DERWENT;	
			IBM_TDB	
-	74035	((webpage (web adj page) HTML WML HDTML	USPAT;	2004/09/15 13:21
1		HDML CHTML XML)) (HTML XML WML HDML HDTML	US-PGPUB;	
		HTL Java cHTML)	EPO; JPO; DERWENT;	
1			IBM TDB	
_	6336951	(type model version (build near number)	USPAT;	2004/09/15 13:34
		language brand ((Content near type)	US-PGPUB;	
		Content-Type) terminal)	EPO; JPO;	
]			DERWENT;	
	120000	//identics magnitude and filed Organism	IBM_TDB	2004/00/15 12 24
-	128803	<pre>((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent)))</pre>	USPAT;	2004/09/15 13:34
		type) ((User near Agent)User-Agent)))   near3 ((type model version (build near	US-PGPUB; EPO; JPO;	
		number) language brand ((Content near	DERWENT;	
		type) Content-Type) terminal))	IBM TDB	
-	84	((contnet text) near (trans1\$5 transfo\$7	USPAT;	2004/09/15 13:23
1		<pre>cod\$4 transco\$5)) near2 (((webpage (web</pre>	US-PGPUB;	
		adj page) HTML WML HDTML HDML CHTML XML))	EPO; JPO;	
1		(HTML XML WML HDML HDTML HTL Java CHTML))	DERWENT;	
L	L	<u> </u>	IBM_TDB	L

	30	(((ident\$5 reaquest get find (broswer near	USPAT;	2004/09/15 13:23
_	30	type) ((User near Agent)User-Agent)))   near3 ((type model version (build near	US-PGPUB; EPO; JPO;	2004/09/15 13:23
		number) language brand ((Content near type) Content-Type) terminal))) and (((contnet text) near (transl\$5 transfo\$7 cod\$4 transco\$5)) near2 (((webpage (web adj page) HTML WML HDTML HDML cHTML XML)) (HTML XML WML HDML HDTML HTL Java cHTML)))	DERWENT; IBM_TDB	
	14		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 13:47
_	2731	709/217.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/15 13:29
_	1316	709/217.ccls. and (HTML XML WML HDML HDTML HTL Java cHTML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/15 13:29
-	0	709/217.ccls. and ((HTML XML WML HDML HDTML HTL Java cHTML) and (((natural adj language) and transc\$7) and (style near sheet)) and ((contnet text) near (transl\$5 transfo\$7 cod\$4 transco\$5)) and (((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) near3 ((type model version (build near number) language brand ((Content near type) Content-Type) terminal)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 13:30
	162027		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/15 13:39
_	1013	((auto automa\$9) near4 (gener\$7 creat\$6 make trans1\$7 transf\$7 trasnc\$7)) near5 (((webpage (web adj page) HTML WML HDTML HDML cHTML XML)) (HTML XML WML HDML HDTML HTL Java cHTML))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 13:40
-	1	(((auto automa\$9) near4 (gener\$7 creat\$6 make transl\$7 transf\$7 trasnc\$7)) near5 (((webpage (web adj page) HTML WML HDTML HDML cHTML XML)) (HTML XML WML HDML HDTML HTL Java cHTML))) near3 (((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) near3 ((type model version (build near number) language brand ((Content near type) Content-Type) terminal)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 13:40
-	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 13:36

_	3	<pre>(((auto automa\$9) near4 (gener\$7 creat\$6 make transl\$7 transf\$7 trasnc\$7)) near5 (((webpage (web adj page) HTML WML HDTML HDML cHTML XML)) (HTML XML WML HDML HDTML HTL Java cHTML))) with (((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) near3 ((type model version (build near number) language brand ((Content near type) Content-Type) terminal)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 13:36
_	268	<pre>(((auto automa\$9) near4 (gener\$7 creat\$6 make transl\$7 transf\$7 trasnc\$7)) near5 (((webpage (web adj page) HTML WML HDTML HDML cHTML XML)) (HTML XML WML HDML HDTML HTL Java cHTML))) and (((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) near3 ((type model version (build near number) language brand ((Content near type) Content-Type) terminal)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 13:38
-	125	((((auto automa\$9) near4 (gener\$7 creat\$6 make transl\$7 transf\$7 trasnc\$7)) near5 (((webpage (web adj page) HTML WML HDTML HDML cHTML XML)) (HTML XML WML HDML HDTML HTL Java cHTML))) and (((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) near3 ((type model version (build near number) language brand ((Content near type) Content-Type) terminal))) and (@ad<20000331 @rlad<20000331)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 13:38
-	6	i	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 13:38
-	206988	(auto automa\$9 dynamic\$8) near4 (gener\$7 creat\$6 make transl\$7 transf\$7 trasnc\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/15 14:18
-	3187	((auto automa\$9 dynamic\$8) near4 (gener\$7 creat\$6 make trans1\$7 transf\$7 trasnc\$7)) near5 (((webpage (web adj page) HTML WML HDTML HDML cHTML XML)) (HTML XML WML HDML HDTML HTL Java cHTML))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 13:40
-	2	<pre>(((auto automa\$9 dynamic\$8) near4 (gener\$7 creat\$6 make transl\$7 transf\$7 trasnc\$7)) near5 (((webpage (web adj page) HTML WML HDTML HDML cHTML XML)) (HTML XML WML HDML HDTML HTL Java cHTML))) near3 (((ident\$5 reaquest get find (broswer near type) ((User near Agent)User-Agent))) near3 ((type model version (build near number) language brand ((Content near type) Content-Type) terminal)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 13:46
_	38551	( WML HDTML HDML cHTML XML Java)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/15 14:18
_	235917	<pre>(auto automa\$9 dynamic\$8) near4 (gener\$7 creat\$6 make transl\$7 transf\$7 trasnc\$7 conver\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/15 14:18

-	31730	HTML	USPAT;	2004/09/15 14:18
			US-PGPUB;	
			EPO; JPO; DERWENT;	
•			IBM TDB	
_	6	(((style adj sheet) layout (page near2	USPAT;	2004/09/15 14:20
		format))) and (((HTML XML) adj5 ((auto	US-PGPUB;	
		automa\$9 dynamic\$8) near4 (gener\$7 creat\$6	EPO; JPO;	
		make trans1\$7 transf\$7 trasnc\$7	DERWENT;	
		conver\$5))) adj5 (WML HDTML HDML cHTML	IBM_TDB	
	0775	Java))	tionam.	2004/00/15 14-21
-	2775	(HTML XML) with (((style adj sheet) layout (page near2 format)))	USPAT; US-PGPUB;	2004/09/15 14:21
ĺ		(page nearz formac//)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	' '	USPAT;	2004/09/15 14:21
		layout (page near2 format)))) and (((HTML	US-PGPUB;	
		XML) adj5 ((auto automa\$9 dynamic\$8) near4 (gener\$7 creat\$6 make transl\$7 transf\$7	EPO; JPO; DERWENT;	
		trasnc\$7 conver\$5))) adj5 (WML HDTML HDML	IBM TDB	
		cHTML Java))	15.1_100	
-	39425	HTML XML	USPAT;	2004/09/15 15:36
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT; IBM TDB	
1_	28756	WML HDTML HDML CHTML Java	USPAT;	2004/09/15 15:36
	20,30	WILL IIBIII IIBIII CIIIII GUVU	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/15 15:27
-	14	((HTML XML) adj5 ((auto automa\$9 dynamic\$8) near4 (gener\$7 creat\$6 make	USPAT; US-PGPUB;	2004/09/15 15:37
		trans1\$7 transf\$7 trasnc\$7 conver\$5)))	EPO; JPO;	
		adj5 (WML HDTML HDML CHTML Java)	DERWENT;	
			IBM_TDB	
-	36		USPAT;	2004/09/15 15:41
		automa\$9 dynamic\$8) near4 (gener\$7 creat\$6	US-PGPUB; EPO; JPO;	
		make trans1\$7 transf\$7 trasnc\$7 conver\$5))) adj5 (HTML XML)	DERWENT;	
	=	Converço,,, aajo (mina ma,	IBM TDB	
-	83203	HTML to XML	USPĀT;	2004/09/15 15:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	0	HTML adj3 to adj3 XML	USPAT;	2004/09/15 15:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	7	(HTML adj3 convert) adj3 XML	IBM_TDB USPAT;	2004/09/15 15:56
-	·	(Himb adjo convert) adjo Amb	US-PGPUB;	2004/05/15 15.50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/55 55 55
-	34	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/09/15 15:58
		or ("6014680") or ("6061697") or ("6085196") or ("6167409") or ("6182092")	US-PGPUB; EPO; JPO;	
		or ("6202072") or ("6226642") or	DERWENT;	
		("6263332") or ("6336124") or ("6397219")	IBM_TDB	
		or ("6418441") or ("6414979") or		
		("6430624")).PN.	HODAE	2004/00/16 16 27
-	2	("20010049733").PN.	USPAT; US-PGPUB;	2004/09/16 16:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	1	(("20010049733").PN.) and (elliptical adj	USPAT;	2004/09/16 16:28
		symbol)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6076166.pn.	USPAT;	2004/09/17 09:09
			US-PGPUB;	
			EPO; JPO;	
	,		DERWENT;	
			IBM TDB	
-	16	(("5263165") or ("5603054") or ("5689708")	USPAT:	2004/09/17 09:11
		or ("5724567") or ("5737539") or	US-PGPUB;	
		("5748890") or ("5754939") or	EPO; JPO;	
		("5796952")).PN.	DERWENT;	
!		, , , , , , , , , , , , , , , , , , , ,	IBM TDB	
l _	3	((("5263165") or ("5603054") or	USPAT;	2004/09/17 10:19
		("5689708") or ("5724567") or ("5737539")	US-PGPUB;	2004/03/17 10:13
		or ("5748890") or ("5754939") or	EPO; JPO;	
		("5796952")).PN.) and (IP)	DERWENT;	
		( 3/90932 /).FN./ and (1F)		
	122	-11::	IBM_TDB USPAT;	2004/09/17 10:22
-	122	elliptical with symbol		2004/09/17 10:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	62	(elliptical with symbol) and computer	USPAT;	2004/09/17 10:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	((elliptical with symbol) and computer)	USPAT;	2004/09/17 10:20
		and IP	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(elliptical with symbol) same text	USPĀT;	2004/09/17 13:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	